Nome	**PEPPE ANTONELLA**
Indirizzo	**Piazzale Caduti della Montagnola 48**
Telefono	**3493746450**
Fax	
E-mail	**a.peppe @ hsantalucia.it**
Nazionalità	Italiana
Data di nascita	03.03.1959

ESPERIENZA LAVORATIVA

Informazioni personali

P E R I L C U R R I C U L U M V I T A E

INFORMAZIONI PERSONALI

Nome	PEPPE Antonella
Indirizzo	Via della Badia di Cava, 76 00142
Telefono	3493746450
E-mail	a.peppe@hsantalucia.it
Cittadinanza	ITA
Data di nascita	03/03/1959

28/11/2013
Abilitazione Scientifica Nazionale Settore Concorsuale 06/D6 Neurologia II Fascia

Titoli di studio

Data di conseguimento 28/06/1993
Titolo conseguito Dottore di Ricerca Titolo della Tesi: Modificazione del sistema retinico in pazienti affetti da morbo di Parkinson.
Nome e indirizzo istituzione Università degli Studi di ROMA "La Sapienza" - P.zza Aldo Moro, 5 - ROMA

Data di conseguimento 07/07/1988
Titolo conseguito Specializzazione in Neurologia Voto conseguito 110 e lode
Nome e indirizzo istituzione Università degli Studi di ROMA "La Sapienza" - P.zza Aldo Moro, 5 - ROMA

Data di conseguimento 24/07/1984
Titolo conseguito Laurea Descrizione Medicina e Chirurgia Voto conseguito 110 e lode
Titolo della Tesi alterazione dei potenziali Evocati nella Sclerosi Multipla
Nome e indirizzo istituzione Università degli Studi di ROMA "La Sapienza" - P.zza Aldo Moro, 5 - ROMA

Esperienze

Periodo 20/03/1995 – ogg Dirigente Medico Nome e indirizzo istituzione IRCCS - FONDAZIONE SANTA LUCIA - Via Ardeatina, 306 - Roma

Periodo 01/06/1992 - 01/10/1992 Posizione Ricercatore all'estero - 2 - Qualifica Ricercatore
Tipo di attività svolta laboratorio visione, Mount Sinai Hospital NY,NY Nome e indirizzo istituzione State University of New York - SUNY - - New York
Periodo 06/06/1990-31/12/1990 di studio e di approfondimento sugli aspetti clinici e sperimentali della malattia di Parkinson presso i Laboratori del Dott. Chase TN presso il National Institute of Health Bethesda Maryland

ISTRUZIONE E FORMAZIONE

[Dal 1993 borsista e quindi dal 1995 strutturata con la qualifica di Dirigente Medico a tempo indeterminato presso l' I.R.C.C.S. Fondazione Santa Lucia dove esercita attività medica e di ricerca su vari aspetti clinici della m. di Parkinson. Attualmente è inquadrata presso l'Unità Operativa 3, Primario Prof. C. Caltagirone.
Medico-responsabile Ambulatorio Specialistico Neurologico Convenzionato SSN sulla malattia di Parkinson. Dirigente Medico responsabile del Laboratorio di Gait Analysis presso i laboratori del . Responsabile Unità Operativa nell'ambito Programma Strategico del Ministero della Salute per l'anno 2007:"Da i meccanismi patogenetici agli indicatori di malattia ed allo sviluppo di procedure terapeutiche e gestionali nella malattia di Parkinson
Dall'anno accademico 2005 docente del corso "Approccio Teorico-pratico alla Malattia di Parkinson" della Laurea in Fisioterapia.
Docente nel progetto di Formazione a distanza E-learning in Neuroriabilitazione: focus sul miglioramento della qualità della vita nelle persone anziane e disabili. Modulo 3- Riabilitazione motoria e cognitiva nel paziente con malattia di Parkinson
Ha partecipato a numerosi Congressi Nazionali ed Internazionali, relazionando su neurofisiologia, clinica, neuroriabilitazione, aspetti clinici dell' approccio chirurgico alla malattia di Parkinson, analisi del cammino, con contributi originali. E' autore e co-autore di 94 articoli con Impact Factor

Lavori di Recente Pubblicazione:

Marano M, Altavista MC, Cassetta E, Brusa L, Viselli F, Denaro A, Ventriglia M, Peppe A.Neurosci Lett. 2024 Jul 27;836:137850. doi: 10.1016/j.neulet.2024.137850. Epub 2024 Jun 7. The influence of sex on non-motor wearing-off in Parkinson's disease: A WORK-PD post-hoc study.

ILazzaro di Biase 1, Carla Piano 2, Francesco Bove 3, Lorenzo Ricci 4, Maria Letizia Caminiti 4, Alessandro Stefani 5, Fabio Viselli 6, Nicola Modugno 7, Rocco Cerroni 5, Paolo Calabresi 2, Anna Rita Bentivoglio 2, Tommaso Tufo 8, Vincenzo Di Lazzaro 4; Lazio DBS Study Group
Neuromodulation. ntraoperative Local Field Potential Beta Power and Three-Dimensional Neuroimaging Mapping Predict Long-Term Clinical Response to Deep Brain Stimulation in Parkinson Disease: A Retrospective Study
2023 Dec;26(8):1724-1732.

Suppa A, Asci F, Costantini G, Bove F, Piano C, Pistoia F, Cerroni R, Brusa L, Cesarini V, Pietracupa S, Modugno N, Zampogna A, Sucapane P, Pierantozzi M, Tufo T, Pisani A, Peppe A, Stefani A, Calabresi P, Bentivoglio AR, Saggio G; Lazio DBS Study Group
Effects of deep brain stimulation of the subthalamic nucleus on patients with Parkinson's disease: a machine-learning voice analysis.
Front Neurol. 2023 Oct 19;14:1267360. doi: 10.3389/fneur.2023.1267360. eCollection 2023.

Martina Montanari , Paola Imbriani , Paola Bonsi , Giuseppina Martella , Antonella Peppe
Biomedicine 2023 May 27;11(6):1560.
Beyond the Microbiota: Understanding the Role of the Enteric Nervous System in Parkinson's Disease from Mice to Human Affiliations Collapse

Zabberoni S, Carlesimo GA, Peppe A, Caltagirone C, Costa A.
Does Dopamine Depletion Trigger a Spreader Lexical-Semantic Activation in Parkinson's Disease? Evidence from a Study Based on Word Fluency Tasks. Parkinsons Dis. 2017;2017:2837685. doi: 10.1155/2017/2837685. Epub 2017 Jun 11.

Peppe A, Costa A, Cerino S, Caltagirone C, Alleva E, Borgi M, Cirulli F. Targeting gait and life quality in persons with Parkinson's disease: Potential benefits of Equine-Assisted Interventions.Parkinsonism Relat Disord. 2017 Dec 11. pii: S1353-8020(17)30829-5. doi: 10.1016/j.parkreldis.2017.12.003. [Epub ahead of print] No abstract available.

Casula EP1, Stampanoni Bassi M2, Pellicciari MC3, Ponzo V1, Veniero D1, Peppe A1, Brusa L4, Stanzione P5, Caltagirone C6, Stefani A4, Koch G7, Subthalamic stimulation and levodopa modulate cortical reactivity in Parkinson's patients.
Parkinsonism Relat Disord. 2017 Jan;34:31-37. doi: 10.1016/j.parkreldis.2016.10.009. Epub 2016 Oct 17.

Tramontano M1, Bonnì S2, Martino Cinnera A2, Marchetti F1, Caltagirone C3, Koch G4, Peppe A1. Blindfolded Balance Training in Patients with Parkinson's Disease: A Sensory-Motor Strategy to Improve the Gait. Parkinsons Dis. 2016;2016:7536862. doi: 10.1155/2016/7536862. Epub 2016 Feb 9.

Angelucci F, Piermaria J, Gelfo F, Shofany J, Tramontano M, Fiore M, Caltagirone C, Peppe A.
The effects of motor rehabilitation training on clinical symptoms and serum BDNF levels in Parkinson's disease subjects.Can J Physiol Pharmacol. 2016 Apr;94(4):455-61. doi: 10.1139/cjpp-2015-0322.

Iosa M, Morone G, Fusco A, Marchetti F, Caltagirone C, Paolucci S, Peppe A.
Loss of fractal gait harmony in Parkinson's Disease.
Clin Neurophysiol. 2016 Feb;127(2):1540-6. doi: 10.1016/j.clinph.2015.11.016.

Costa A, Peppe A, Carlesimo GA, Zabberoni S, Scalici F, Caltagirone C, Angelucci F.

INDEXED PUBBLICATION

INDEXED PUBBLICATION

1. Francesco Serio, Cosimo Minosa, Matteo De Luca, Pierguido Conte, Giovanni Albani, Antonella Peppe Focal Vibration Training (Equistasi®) to Improve Posture Stability. A Retrospective Study in Parkinson's Disease
   Sensors (Basel) 2019 May; 19(9): 2101.

2. Fabiola Spolaor, Marco Romanato, Guiotto Annamaria, Antonella Peppe, Leila Bakdounes, Duc-Khanh To, Daniele Volpe, Zimi Sawacha Sensors (Basel) 2021 Jan; 21(2): 560.

3. Antonella Peppe, Stefano Paravati, Maria Giulia Baldassarre, Leila Bakdounes, Fabiola Spolaor, Annamaria Guiotto, Davide Pavan, Zimi Sawacha, Sonia Bottino, Daniela Clerici, Nicola Cau, Alessandro Mauro, Giovanni Albani, Micol Avenali, Giorgio Sandrini, Cristina Tassorelli, Daniele Volpe
   Proprioceptive Focal Stimulation (Equistasi®) May Improve the Quality of Gait in Middle-Moderate Parkinson's
   Disease Patients. Double-Blind, Double-Dummy, Randomized, Crossover, Italian Multicentric Study Front Neurol. 2019; 10: 998. Published online 2019 Sep 18. doi: 10.3389/fneur.2019.00998

4. Tramontano M, Bonnì S, Martino Cinnera A, Marchetti F, Caltagirone C, Koch G, PEPPE A. Blindfolded Balance Training in Patients with Parkinson's Disease: A Sensory-Motor Strategy to Improve the Gait. Parkinsons Dis. 2016;2016:7536862. doi: 10.1155/2016/7536862.

5. Angelucci F, Piermaria J, Gelfo F, Shofany J, Tramontano M, Fiore M, Caltagirone C, PEPPE A.The effects of motor rehabilitation training on clinical symptoms and serum BDNF levels in Parkinson's disease subjects.Can J Physiol Pharmacol. 2016 Apr;94(4):455-61. doi: 10.1139/cjpp-2015-0322. Epub 2016 Feb 10.

6. Iosa M, Morone G, Fusco A, Marchetti F, Caltagirone C, Paolucci S, PEPPE A.Loss of fractal gait harmony in Parkinson's Disease. Clin Neurophysiol. 2016 Feb;127(2):1540-6. doi: 10.1016/j.clinph.2015.11.016.

7. Costa A, PEPPE A, Carlesimo GA, Zabberoni S, Scalici F, Caltagirone C, Angelucci F. Brain-derived neurotrophic factor serum levels correlate with cognitive performance in Parkinson's disease patients with mild cognitive impairment.Front Behav Neurosci. 2015 Sep 15;9:253. doi: 10.3389/fnbeh.2015.00253..

8. Costa A, Zabberoni S, PEPPE A, Serafini F, Scalici F, Caltagirone C, Carlesimo GA. Time-based prospective memory functioning in mild cognitive impairment associated with Parkinson's disease: relationship with autonomous management of daily living commitments. Front Hum Neurosci. 2015 Jun 10;9:333. doi: 10.3389/fnhum.2015.00333. eCollection 2015.

9. Angelucci F, PEPPE A, Carlesimo GA, Serafini F, Zabberoni S, Barban F, Shofany J, Caltagirone C, Costa A. A pilot study on the effect of cognitive training on BDNF serum levels in individuals with Parkinson's disease. Front Hum Neurosci. 2015 Mar 16;9:130. doi: 10.3389/fnhum.2015.00130.

10. Costa A, PEPPE A, Zabberoni S, Serafini F, Barban F, Scalici F, Caltagirone C, Carlesimo GA. Prospective memory performance in individuals with Parkinson's disease who have mild cognitive impairment.Neuropsychology. 2015 Sep;29(5):782-91. doi: 10.1037/neu0000184.

11. Altavista MC, Cassetta E, Brusa L, Viselli F, Denaro A, Ventriglia M, Pasqualetti P, Peppe Wearing-off detection in clinical practice: the wearing off real practice key (WORK-PD) study in Parkinson's disease. A.Parkinsonism Relat Disord. 2015 Feb;21(2):95-100. doi: 10.1016/j.parkreldis.2014.11.002.

12. Costa A, PEPPE A, Serafini F, Zabberoni S, Barban F, Caltagirone C, Carlesimo GA Prospective memory performance of patients with Parkinson's disease depends on shifting aptitude: evidence from cognitive rehabilitation.J Int Neuropsychol Soc. 2014 Aug;20(7):717-26. doi: 10.1017/S1355617714000563.

13. Costa A, PEPPE A, Mazzù I, Longarzo M, Caltagirone C, Carlesimo GA. Dopamine treatment and cognitive functioning in individuals with Parkinson's disease: the "cognitive flexibility" hypothesis seems to work. Behav Neurol. 2014;2014:260896. doi: 10.1155/2014/260896.

14. Costa A, Monaco M, Zabberoni S, PEPPE A, Perri R, Fadda L, Iannarelli F, Caltagirone C, Carlesimo GA. Free and cued recall memory in Parkinson's disease associated with amnestic mild cognitive impairment. PLoS One. 2014 Jan 23;9(1):e86233. doi: 10.1371/journal.pone.0086233.

15. Iosa M, Fusco A, Marchetti F, Morone G, Caltagirone C, Paolucci S, PEPPE A.The golden ratio of gait harmony: repetitive proportions of repetitive gait phases. Biomed Res Int. 2013;2013:918642. doi: 10.1155/2013/918642

16. Costa A, PEPPE A, Caltagirone C, Carlesimo GA. Decreased event-based prospective memory functioning in individuals with Parkinson's disease.J Neuropsychol. 2013 Sep;7(2):153-63. doi: 10.1111/jnp.12024.

17. Stefani A, PEPPE A, Galati S, Bassi MS, D'Angelo V, Pierantozzi M.The serendipity case of the pedunculopontine nucleus low-frequency brain stimulation: chasing a gait response, finding sleep, and cognition improvement. Front Neurol. 2013 Jun 5;4:68. doi: 10.3389/fneur.2013.00068.
18. Costa A, PEPPE A, Martini M, Coletta K, Oliveri M, Caltagirone C, Carlesimo GA. Parkinsonian patients with deficits in the dysexecutive spectrum are impaired on theory of mind tasks. Behav Neurol. 2013 Jan 1;27(4):523-33. doi: 10.3233/BEN-129018.

19. PEPPE A, Pierantozzi M, Baiamonte V, Moschella V, Caltagirone C, Stanzione P, Stefani A Deep brain stimulation of pedunculopontine tegmental nucleus: role in sleep modulation in advanced Parkinson disease patients: one-year follow-up. Sleep. 2012 Dec 1;35(12):1637-42. doi: 10.5665/sleep.2234.

20. Péran P, Nemmi F, Méligne D, Cardebat D, PEPPE A, Rascol O, Caltagirone C, Demonet JF, Sabatini U. Similar articlesEffect of levodopa on both verbal and motor representations of action in Parkinson's disease: a fMRI study. Brain Lang. 2013 Jun;125(3):324-9. doi: 10.1016/j.bandl.2012.06.001.

21. Stefani A, Fedele E, Vitek J, Pierantozzi M, Galati S, Marzetti F, PEPPE A, Bassi MS, Bernardi G, Stanzione P.The clinical efficacy of L-DOPA and STN-DBS share a common marker: reduced GABA content in the motor thalamus. Cell Death Dis. 2011 May 5;2:e154. doi: 10.1038/cddis.2011.35.

22. Stefani A, Fedele E, Pierantozzi M, Galati S, Marzetti F, PEPPE A, Pastore FS, Bernardi G, Stanzione P.Reduced GABA Content in the Motor Thalamus during Effective Deep Brain Stimulation of the Subthalamic Nucleus.

23. Ceravolo R, Brusa L, Galati S, Volterrani D, PEPPE A., Siciliano G, Pierantozzi M, Moschella V, Bonuccelli U, Stanzione P, Stefani A (2011). Low frequency stimulation of the nucleus tegmenti pedunculopontini increases cortical metabolism in Parkinsonian patients. EUROPEAN JOURNAL OF NEUROLOGY, vol. 18; p. 842-849, ISSN: 1351-5101, doi: 10.1111/j.1468-1331.2010.03254.x

24. Stefani A, Fedele E, Vitek J, Pierantozzi M, Galati S, Marzetti F, PEPPE A., Bassi MS, Bernardi G, Stanzione P (2011). The clinical efficacy of L-DOPA and STN-DBS share a common marker: reduced GABA content in the motor thalamus. CELL DEATH & DISEASE, vol. 2, ISSN: 2041-4889, doi: 10.1038/cddis.2011.35

25. Peran P, Cherubini A, Assogna F, Rascol O, Celsis P, Demonet JF, PEPPE A., Caltagirone C, Pontieri F, Spalletta G, Sabatini U (2010). Nigro-striatal signature front MRI markers in Parkinson's disease. MOVEMENT DISORDERS, vol. 25; p. S389-S389, ISSN: 0885-3185

26. Cravela L, Assogna F, Pontieri FE, PEPPE A., Pierantozzi M, Stefani A, Pellicano C, Caltagirone C, Spalletta G (2010). Facial emotion recognition in Parkinson's disease. MOVEMENT DISORDERS, vol. 25; p. S278-S278, ISSN: 0885-3185

27. Alessandro S, Ceravolo R, Brusa L, Pierantozzi M, Costa A, Galati S, Placidi F, Romigi A, Iani C, Marzetti F, PEPPE A. - 3 - (2010). Non-motor functions in parkinsonian patients implanted in the pedunculopontine nucleus: Focus on sleep and cognitive domains. JOURNAL OF THE NEUROLOGICAL SCIENCES, vol. 289; p. 44-48, ISSN: 0022-510X, doi: 10.1016/j.jns.2009.08.017

28. Assogna F, Pontieri FE, Cravello L, PEPPE A., Pierantozzi M, Stefani A, Stanzione P, Pellicano C, Caltagirone C, Spalletta G (2010). Intensity-dependent facial emotion recognition and cognitive functions in Parkinson's disease. JOURNAL OF THE INTERNATIONAL NEUROPSYCHOLOGICAL SOCIETY, vol. 16; p. 867-876, ISSN: 1355-6177, doi: 10.1017/S1355617710000755

29. PEPPE A., Chiavalon C, Marchetti F, Caltagirone C (2010). Parkinson's disease and turning: a study through gait analysis. EUROPEAN JOURNAL OF NEUROLOGY, vol. 17; p. 101-101, ISSN: 1351-5101

30. PEPPE A., Pierantozzi M, Chiavalon C, Marchetti F, Caltagirone C, Musicco M, Stanzione P, Stefani A (2010). Deep brain stimulation of the pedunculopontine tegmentum and subthalamic nucleus Effects on gait in Parkinson's disease. GAIT & POSTURE, vol. 32; p. 512-518, ISSN: 0966-6362, doi: 10.1016/j.gaitpost.2010.07.012

31. Peran P, Cherubini A, Assogna F, Piras F, Quattrocchi C, PEPPE A., Celsis P, Rascol O, Demonet JF, Stefani A, Pierantozzi M, Pontieri FE, Caltagirone C, Spalletta G, Sabatini U (2010). Magnetic resonance imaging markers of Parkinson's disease nigrostriatal signature. BRAIN, vol. 133; p. 3423-3433, ISSN: 0006-8950, doi: 10.1093/brain/awq212

32. Costa A, Carlesimo GA, Caltagirone C, Mazzone P, Pierantozzi M, Stefani A, PEPPE A. (2010). Effects of deep brain stimulation of the peduncolopontine area on working memory tasks in patients with Parkinson's disease. PARKINSONISM & RELATED DISORDERS, vol. 16; p. 64-67, ISSN: 1353-8020, doi: 10.1016/j.parkreldis.2009.05.009

33. Costa A, PEPPE A., Carlesimo GA, Salamone G, Caltagirone C (2010). Prevalence and Characteristics of Alexithymia in Parkinson's Disease. PSYCHOSOMATICS, - 4 - vol. 51; p. 22-28, ISSN: 0033-3182

34. Assogna F, Pontieri FE, Cravello L, Palmer K, Pierantozzi M, Stefani A, Gianni W, PEPPE A., Caltagirone C, Spalletta G (2010). Is alexithymia
35. a non-motor symptom of Parkinson's disease?. MOVEMENT DISORDERS, vol. 25; p. S277-S277, ISSN: 0885-3185

36. Moreau C, Defebvre L, Devos D, Marchetti F, Destee A, Stefani A, PEPPE A. (2009). STN Versus PPNDBS for Alleviating Freezing of Gait: Toward a Frequency Modulation Approach?. MOVEMENT DISORDERS, vol. 24; p. 2164-2166, ISSN: 0885-3185, doi: 10.1002/mds.22743

37. Peran P, Cherubini A, Francesca A, Rascol O, Celsis P, Demonet JF, PEPPE A., Caltagirone C, Pontieri F, Spalletta G, Sabatini U (2009). Volume and iron content in basal ganglia and thalamus of Parkinson's disease patients: A 3T MR study. MOVEMENT DISORDERS, vol. 24; p. S207-S207, ISSN: 0885-3185

38. Stefani A, PEPPE A., Pierantozzi M, Galati S, Moschella V, Stanzione P, Mazzone P (2009). Multi-target strategy for Parkinsonian patients: The role of deep brain stimulation in the centromedian-parafascicularis complex. BRAIN RESEARCH BULLETIN, vol. 78; p. 113-118, ISSN: 0361-9230, doi: 10.1016/j.brainresbull.2008.08.007

39. Costa A, PEPPE A., Dell'Agnello G, Caltagirone C, Carlesimo GA (2009). Dopamine and cognitive functioning in de novo subjects with Parkinson's disease: Effects of pramipexole and pergolide on working memory. NEUROPSYCHOLOGIA, vol. 47; p. 1374-1381, ISSN: 0028-3932, doi: 10.1016/j.neuropsychologia.2009.01.039

40. Zanini S, Moschella V, Stefani A, PEPPE A., Pierantozzi M, Galati S, Costa A, Mazzone P, Stanzione P (2009). Grammar improvement following deep brain stimulation of the subthalamic and the pedunculopontine nuclei in advanced Parkinson's disease: A pilot study. PARKINSONISM & RELATED DISORDERS, vol. 15; p. 606-609, ISSN: 1353-8020, doi: 10.1016/j.parkreldis.2008.12.003

41. Peran P, Cardebat D, Cherubini A, Piras F, Luccichenti G, PEPPE A., Caltagirone C, Rascol O, Demonet JF, Sabatini - 5 - U (2009). Object naming and action-verb generation in Parkinson's disease: A fMRI study. CORTEX, vol. 45; p. 960-971, ISSN: 0010-9452, doi: 10.1016/j.cortex.2009.02.019

42. Baiamonte V, Moschella V, Stefani A, Piccoli F, Caltagirone C, Stanzione P, PEPPE A. (2009). Effects of STN plus PPN-DBS on sleep disorders in Parkinson's disease. 12-months follow-up. EUROPEAN JOURNAL OF NEUROLOGY, vol. 16; p. 612-612, ISSN: 1351-5101

43. Costa A, PEPPE A., Brusa L, Caltagirone C, Gatto I, Carlesimo GA (2008). Dopaminergic modulation of prospective memory in Parkinson's disease. BEHAVIOURAL NEUROLOGY, vol. 19; p. 45-48, ISSN: 0953-4180

44. Ceravolo R, Brusa L, Pierantozzi M, Unti E, Galati S, PEPPE A., Mazzone P, Stanzione P, Bonuccelli U, Stefani A (2008). Beyond the motor effects of the pedunculopontine nucleus (PPN): Increased cortical metabolism and improved cognitive performance under PPN-DBS. MOVEMENT DISORDERS, vol. 23; p. S58-S58, ISSN: 0885-3185

45. Pierantozzi M, Stefani A, PEPPE A., Ceravolo R, Brusa L, Romigi A, Galati S, Stanzione P (2008). PPNDBS effects on non-motor functions in Parkinson's disease patients: Two years follow-up. MOVEMENT
DISORDERS, vol. 23; p. S110-S110, ISSN: 0885-3185

46. Koch G, Costa A, Brusa L, PEPPE A., Gatto I, Torriero S, Lo Gerfo E, Salerno S, Oliveri M, Carlesimo GA, Caltagirone C (2008). Impaired reproduction of second but not millisecond time intervals in Parkinson's disease. NEUROPSYCHOLOGIA, vol. 46; p. 1305-1313, ISSN: 0028-3932, doi: 10.1016/j.neuropsychologia.2007.12.005

47. Costa A, PEPPE A., Caltagirone C, Carlesimo GA (2008). Prospective memory impairment in individuals with Parkinson's disease. NEUROPSYCHOLOGY, vol. 22; p. 283-292, ISSN: 0894-4105, doi: 10.1037/0894-4105.22.3.283

48. Romigi A, Placidi F, PEPPE A., Pierantozzi M, Izzi F, Brusa L, Galati S, Moschella V, Marciani MG, Mazzone P, - 6 - Stanzione P, Stefani A (2008). Pedunculopontine nucleus stimulation influences REM sleep in Parkinson's disease. EUROPEAN JOURNAL OF NEUROLOGY, vol. 15; p. E64-E65, ISSN: 1351-5101, doi: 10.1111/j.1468-1331.2008.02167.x

49. Costa A, PEPPE A., Brusa L, Caltagirone C, Gatto I, Carlesimo GA (2008). Levodopa improves timebased prospective memory in Parkinson's disease. JOURNAL OF THE INTERNATIONAL NEUROPSYCHOLOGICAL SOCIETY, vol. 14; p. 601-610, ISSN: 1355-6177, doi: 10.1017/S135561770808082X

50. PEPPE A., Gasbarra A, Stefani A, Chiavalon C, Pierantozzi M, Fermi E, Stanzione P, Caltagirone C, Mazzone P (2008). Deep brain stimulation of CM/PF of thalamus could be the new elective target for tremor in advanced Parkinson's Disease?. PARKINSONISM & RELATED DISORDERS, vol. 14; p. 501504, ISSN: 1353-8020, doi: 10.1016/j.parkreldis.2007.11.005

51. Pierantozzi M, Palmieri MG, Galati S, Stanzione P, PEPPE A., Tropepi D, Brusa L, Pisani A, Moschella V, Marciani MG, Mazzone P, Stefani A (2008). Pedunculopontine nucleus deep brain stimulation changes spinal cord excitability in Parkinson's disease patients. JOURNAL OF NEURAL TRASMISSION, vol. 115; p. 731-735, ISSN: 0300-9564, doi: 10.1007/s00702-007-0001-8

52. Mazzone P, Stanzione P, Lozano A, Scarnati E, PEPPE A., Galati S, Stefani A (2007). Reply: The peripeduncular and pedunculopontine nuclei: a putative dispute not discouraging the effort to define a clinically relevant target. BRAIN, vol. 130, ISSN: 0006-8950, doi: 10.1093/brain/awm080 S

53. Stefani A, Lozano AM, PEPPE A., Stanzione P, Galati S, Tropepi D, Pierantozzi M, Brusa L, Scarnati E, Mazzone P (2007). Bilateral deep brain stimulation of the pedunculopontine and subthalamic nuclei in severe Parkinson's disease. BRAIN, vol. 130; p. 1596-1607, ISSN: 0006-8950, doi: 10.1093/brain/aw1346

54. PEPPE A., Stefani A, Mazzone P, Gasbarra A, Pierantozzi M, Crovato D, Caltagirone C, Stanzione P (2007). Does gait analysis quantify the efficacy of PPN-DBS in Parkinson's - 7 - disease patients?. MOVEMENT DISORDERS, vol. 22; p. S188-S189, ISSN: 0885-3185

55. Costa A, PEPPE A., Carlesimo GA, Salamone G, Caltagirone C (2007). Neuropsychological correlates of alexithyrnia in Parkinson's disease. JOURNAL OF THE INTERNATIONAL NEUROPSYCHOLOGICAL SOCIETY, vol. 13; p. 980-992, ISSN: 1355-6177, doi: 10.1017/S1355617707071329

56. Mazzone P, Insola A, Lozanoe A, Galati S, Scarnati E, PEPPE A., Stanzione P, Stefani A (2007). Peripeduncular and pedunculopontine nuclei: a dispute on a clinically relevant target (vol 18, pg 1407, 2007). NEUROREPORT, vol. 18; p. 1515-+, ISSN: 0959-4965

57. PEPPE A., Ranaldi A, Chiavalon C, Gasbarra A, Collepardo A, Romeo R, Pasqualetti P, Caltagirone C (2007). Global Mobility Task: index for evaluating motor impairment and motor rehabilitation programs in Parkinson's disease patients. ACTA NEUROLOGICA SCANDINAVICA, vol. 116; p. 182-189, ISSN: 0001-6314, doi: 10.1111/j.1600-0404.2007.00859.x

58. PEPPE A., Chiavalon C, Pasqualetti P, Crovato D, Caltagirone C (2007). Does gait analysis quantify motor rehabilitation efficacy in Parkinson's disease patients?. GAIT & POSTURE, vol. 26; p. 452-462, ISSN: 0966-6362, doi: 10.1016/j.gaitpost.2006.11.207

59. Cerasa A, Hagberg GE, PEPPE A., Bianciardi M, Gioia MC, Costa A, Castriota-Scanderbeg A, Caltagirone C, Sabatini U (2006). Functional changes in the activity of cerebellum and frontostriatal regions during externally and internally timed movement in Parkinson's disease. BRAIN RESEARCH BULLETIN, vol. 71; p. 259-269, ISSN: 0361-9230, doi: 10.1016/j.brainresbull.2006.09.014

60. Costa A, PEPPE A., Carlesimo GA, Pasqualetti P, Caltagirone C (2006). Major and minor depression in - 8 - Parkinson's disease: a neuropsychological investigation. EUROPEAN JOURNAL OF NEUROLOGY, vol. 13; p. 972-980, ISSN: 1351-5101, doi: 10.1111/j.1468-1331.2006.01406.x

61. Costa A, PEPPE A., Carlesimo GA, Pasqualetti P, Caltagirone C (2006). Alexithymia in Parkinson's disease is related to severity of depressive symptoms. EUROPEAN JOURNAL OF NEUROLOGY, vol. 13; p. 836-841, ISSN: 1351-5101, doi: 10.1111/j.1468-1331.2006.01216.x

62. Galati S, Mazzone P, Fedele E, Pisani A, PEPPE A., Pierantozzi M, Brusa L, Tropepi D, Moschella V, Raiteri M, Stanzione P, Bernardi G, Stefani A (2006). Biochemical and electrophysiological changes of substantia nigra pars reticulata driven by subthalamic stimulation in patients with Parkinson's disease.

EUROPEAN JOURNAL OF NEUROSCIENCE, vol. 23; p. 2923-2928, ISSN: 0953-816X, doi: 10.1111/j.1460-9568.2006.04816.x

63. Stefani A, Galati S, PEPPE A., Bassi A, Pierantozzi M, Hainsworth AH, Bernardi G, Orlacchio A, Stanzione P, Mazzone P (2006). Spontaneous sleep modulates the firing pattern of Parkinsonian subthalamic nucleus. EXPERIMENTAL BRAIN RESEARCH, vol. 168; p. 277-280, ISSN: 0014-4819, doi: 10.1007/s00221-005-0175-y

64. Stefani A, Fedele E, Galati S, Raiteri M, Pepicelli O, Brusa L, Pierantozzi M, PEPPE A., Pisani A, Gattonil G, Hainsworth AH, Bernardi G, Stanzione P, Mazzone P (2006). Deep brain stimulation in Parkinson's disease patients: biochemical evidence. JOURNAL OF NEURAL TRANSMISSION-SUPPLEMENT; p. 401-408, ISSN: 0303-6995

65. Brusa L, Tiraboschi P, Koch G, PEPPE A., Pierantozzi M, Ruggieri S, Stanzione P (2005). Pergolide effect on cognitive functions in early-mild Parkinson's disease. JOURNAL OF NEURAL TRASMISSION, vol. 112; p. 231-237, ISSN: 0300-9564, doi: 10.1007/s00702-004-0193-0

66. Koch G, Brusa L, Caltagirone C, PEPPE A., Oliveri M, Stanzione P, Centonze D (2005). rTMS of supplementary motor area modulates therapy-induced dyskinesias in Parkinson disease. NEUROLOGY, vol. 65; p. 623-625, - 9 - ISSN: 0028-3878, doi: 10.1212/01.wnl.0000172861.36430.95

67. Stefani A, Fedele E, Galati S, Pepicelli O, Frasca S, Pierantozzi M, PEPPE A., Brusa L, Orlacchio A, Hainsworth AH, Gattoni G, Stanzione P, Bernardi G, Raiteri M, Mazzone P (2005). Subthalamic stimulation activates internal pallidus: Evidence from cGMP Microdialysis in PD patients. ANNALS OF NEUROLOGY, vol. 57; p. 448-452, ISSN: 0364-5134, doi: 10.1002/ana.20402

68. Mazzone P, Brown P, DiLazzaro V, Stanzione P, Oliviero A, PEPPE A., Santilli V, Insola A, Altibrandi M (2005). Bilateral implantation in globus pallidus internus and in subthalamic nucleus in Parkinson's disease. NEUROMODULATION, vol. 8; p. 1-6, ISSN: 1094-7159, doi: 10.1111/j.10947159.2005.05214.x

69. Mazzone P, Lozano A, Stanzione P, Galati S, Scarnati E, PEPPE A., Stefani A (2005). Implantation of human pedunculopontine nucleus: a safe and clinically relevant target in Parkinson's disease. NEUROREPORT, vol. 16; p. 1877-1881, ISSN: 0959-4965, doi: 10.1097/01.wnr.0000187629.38010.12
70. PEPPE A., Pierantozzi M, Bassi A, Altibrandi MG, Brusa L, Stefani A, Stanzione P, Mazzone P (2004). Stimulation of the subthalamic nucleus compared with the globus pallidus internus in patients with Parkinson disease. JOURNAL OF NEUROSURGERY, vol. 101; p. 195-200, ISSN: 0022-3085, doi: 10.3171/jns.2004.101.2.0195

71. Koch G, Brusa L, Caltagirone C, Oliveri M, PEPPE A., Tiraboschi P, Stanzione P (2004). Subthalamic deep brain stimulation improves time perception in Parkinson's disease. NEUROREPORT, vol. 15; p. 1071-1073, ISSN: 0959-4965, doi: 10.1097/01.wnr.0000123645.28957f

72. Formisano R, Voogt RD, Buzzi MG, Vinicola V, Penta F, PEPPE A., Stanzione P (2004). Time interval of oral feeding recovery as a prognostic factor in severe traumatic brain injury. BRAIN INJURY, vol. 18; p. 103-109, ISSN: 0269-9052, doi: 10.1080/0269905031000149470

73. Brusa L, Bassi A, Lunardi G, Fedele E, PEPPE A., Stefani - 10 - A, Pasqualetti P, Stanzione P, Pierantozzi M (2004). Delayed administration may improve entacapone effects in parkinsonian patients non-responding to the drug. EUROPEAN JOURNAL OF NEUROLOGY, vol. 11; p. 593-606, ISSN: 1351-5101, doi: 10.1111/j.1468-1331.2004.00860.x

74. Brusa L, Bassi A, Stefani A, Pierantozzi M, PEPPE A., Caramia MD, Boffa L, Ruggieri S, Stanzione P (2003). Pramipexole in comparison to l-dopa: a neuropsychological study. JOURNAL OF NEURAL TRASMISSION, vol. 110; p. 373-380, ISSN: 0300-9564, doi: 10.1007/s00702-002-0811-7

75. Finazzi-Agro E, PEPPE A., D'Amico A, Petta F, Mazzone P, Stanzione P, Micali F, Caltagirone C (2003). Effects of subthalamic nucleus stimulation on urodynamic findings in patients with Parkinson's disease. THE JOURNAL OF UROLOGY, vol. 169; p. 1388-1391, ISSN: 0022-5347, doi: 10.1097/01.ju.0000055520.88377.

76. Costa A, PEPPE A., Dell'Agnello G, Carlesimo GA, Murri L, Bonuccelli U, Caltagirone C (2003). Dopaminergic modulation of visual-spatial working memory in Parkinson's disease. DEMENTIA AND GERIATRIC COGNITIVE DISORDERS, vol. 15; p. 55-66, ISSN: 1420-8008, doi: 10.1159/000067968

77. Stefani A, Bassi A, Mazzone P, Pierantozzi M, Gattoni G, Altibrandi MG, Giacomini P, PEPPE A., Bernardi G, Stanzione P (2002). Subdyskinetic apomorphine responses in globus pallidus and subthalamus of parkinsonian patients: lack of clear evidence for the 'indirect pathway'. CLINICAL NEUROPHYSIOLOGY, vol. 113; p. 91-100, ISSN: 1388-2457, doi: 10.1016/S1388-2457(01)00683-6

78. Troisi E, PEPPE A., Pierantozzi M, Matteis M, Vernieri F, Stanzione P, Silvestrini M, Caltagirone C (2002). Emotional processing in Parkinson's disease - A study using functional transcranial doppler sonography. JOURNAL OF NEUROLOGY, vol. 249; p. 993-1000, ISSN: 0340-5354, doi: 10.1007/s00415-002-0769-2

79. Pierantozzi M, Palmieri MG, Mazzone P, Marciani MG, Rossini PM, Stefani A, Giacomini P, PEPPE A., Stanzione P (2002). Deep brain stimulation of both subthalamic - 11 - nucleus and internal globus pallidus restores intracortical inhibition in Parkinson's disease paralleling apomorphine effects: a paired magnetic stimulation study. CLINICAL NEUROPHYSIOLOGY, vol. 113; p. 108-113, ISSN: 1388-2457, doi: 10.1016/S1388-2457(01)00694-0

80. PEPPE A., Pierantozzi M, Altibrandi MG, Giacomini P, Stefani A, Bassi A, Mazzone P, Bernardi G, Stanzione P (2001). Bilateral GPi DBS is useful to reduce abnormal involuntary movements in advanced Parkinson's disease patients, but its action is related to modality and site of stimulation. EUROPEAN JOURNAL OF NEUROLOGY, vol. 8; p. 579-586, ISSN: 1351-5101, doi: 10.1046/j.14681331.2001.00302.

81. Brusa L, Pierantozzi M, PEPPE A., Altibrandi MG, Giacomini P, Mazzone P, Stanzione P (2001). Deep Brain Stimulation (DBS) attentional effects parallel those of l-dopa treatment. JOURNAL OF NEURAL TRASMISSION, vol. 108; p. 1021-1027, ISSN: 0300-9564, doi: 10.1007/s007020170020

82. Stanzione P, Bodis-Wollner I, Pierantozzi M, Semprini R, Tagliati M, PEPPE A., Bernardi G (1999). A mixed D1 and D2 antagonist does not replay pattern electroretinogram alterations observed with a selective D2 antagonist in normal humans: relationship with Parkinson's disease pattern electroretinogram alterations. CLINICAL NEUROPHYSIOLOGY, vol. 110; p. 82-85, ISSN: 1388-2457, doi: 10.1016/S0168-5597(98)00047-1

83. Stefani A, Mazzone P, Bassi A, Bernardi G, Altibrandi MG, PEPPE A., Pierantozzi M, Stanzione P (1999). Electrophysiological and clinical desensitization to apomorphine administration in parkinsonian patients undergoing stereotaxic neurosurgery. EXPERIMENTAL NEUROLOGY, vol. 156; p. 209-213, ISSN: 0014-4886, doi: 10.1006/exnr.1998.6990

84. Grasso R, PEPPE A., Stratta F, Angelini D, Zago M, Stanzione P, Lacquaniti F (1999). Basal ganglia and gait control: apomorphine administration and internal pallidum stimulation in Parkinson's disease. EXPERIMENTAL BRAIN RESEARCH, vol. 126; p. 139-148, ISSN: 0014-4819, doi: 10.1007/s002210050724 - 12 –

85. Pierantozzi M, Mazzone P, Bassi A, Rossini PM, PEPPE A., Altibrandi MG, Stefani A, Bernardi G, Stanzione P (1999). The effect of deep brain stimulation on the frontal N30 component of somatosensory evoked potentials in advanced Parkinson's disease patients. CLINICAL NEUROPHYSIOLOGY, vol. 110; p. 1700-1707, ISSN: 1388-2457, doi: 10.1016/S1388-2457(99)00113-3

86. Graceffa AMS, Carlesimo GA, PEPPE A., Caltagirone C (1999). Verbal working memory deficit in Parkinson's disease subjects. EUROPEAN NEUROLOGY, vol. 42; p. 90-94, ISSN: 0014-3022, doi: 10.1159/000069417

87. Stanzione P, Semprini R, Pierantozzi M, Santilli AM, Fadda L, Traversa R, PEPPE A., Bernardi G (1998). Age and stage dependency of P300 latency alterations in non-demented Parkinson's disease patients without therapy. ELECTROENCEPHALOGRAPHY AND CLINICAL NEUROPHYSIOLOGY. EVOKED POTENTIALS, vol. 108; p. 80-91, ISSN: 0168-5597, doi: 10.1016/S0168-5597(97)00070-1

88. PEPPE A., Stanzione P, Pierantozzi M, Semprini R, Bassi A, Santilli AM, Formisano R, Piccolino M, Bernardi G (1998). Does pattern electroretinogram spatial tuning alteration in Parkinson's disease depend on motor disturbances or retinal dopaminergic loss?. ELECTROENCEPHALOGRAPHY AND CLINICAL NEUROPHYSIOLOGY, vol. 106; p. 374-382, ISSN: 0013-4694, doi: 10.1016/S00134694(97)00075-8

89. Stanzione P, Mazzone P, PEPPE A., Pierantozzi M, Stefani A, Bassi A, Bernardi G (1998). Antiparkinsonian and anti-levodopa-induced dyskinesia effects obtained by stimulating the same site within the GPi in PD. NEUROLOGY, vol. 51; p. 1776-1776, ISSN: 0028-3878

90. PEPPE A., Antal A, Tagliati M, Stanzione P, Bodis-Wollner I (1998). D1 agonist CY208-243 attenuates the pattern electroretinogram to low spatial frequency stimuli in the monkey. NEUROSCIENCE LETTERS, vol. 243; p. 5-8, ISSN: 0304-3940, doi: 10.1016/S0304-3940(98)00068-8

91. Stanzione P, Traversa R, Pierantozzi M, Semprini R, Loberti M, PEPPE A., Santilli AM, Bernardi G (1997). SEPs N30 amplitude in Parkinson's disease and in - 13 - pharmacologically induced rigidity: Relationship with the clinical status. EUROPEAN JOURNAL OF NEUROLOGY, vol. 4; p. 24-38, ISSN: 1351-5101, doi: 10.1111/j.1468-1331.1997.tb00296.x

92. Marin C, Engber TM, Chaudhuri P, PEPPE A., Chase TN (1996). Effects of kappa receptor agonists on D-1 and D-2 dopamine agonist and antagonist-induced behaviors. PSYCHOPHARMACOLOGY, vol. 123; p. 215-221, ISSN: 0033-3158, doi: 10.1007/BF02246181
93. PEPPE A., Stanzione P, Pierelli F, Deangelis D, Pierantozzi M, Bernardi G (1995). Visual alterations in de-novo parkinsons-disease - pattern electroretinogram latencies are more delayed and more reversible by levodopa than are visual-evoked potentials. Neurology, vol. 45; p. 1144-1148, issn: 0028-3878
94. Stanzione P, Pierantozzi M, Semprini R, Tagliati M, Traversa R, PEPPE A., Pierelli F, Bernardi G (1995). Increasing doses of l-sulpiride reveal dose-dependent and spatial frequency-dependent effects of d2 selective blockade in the human electroretinogram. Vision research, vol. 35; p. 2659-2664, ISSN: 00426989, doi: 10.1016/0042-6989(95)00037-Z

95. Marin C, Parashos Sa, Kapitzogloulogothetis V, PEPPE A., Chase Tn (1993). D(1) and D(2) dopamine receptor-mediated mechanisms and behavioral supersensitivity. Pharmacology biochemistry and behavior, vol. 45; p. 195-200, ISSN: 0091-3057, doi: 10.1016/0091-3057(93)90104-2

96. Bodiswollner I, Tagliati M, PEPPE A., Antal A (1993). Visual and visual perceptual disorders in neurodegenerative diseases. Bailliere's clinical neurology, vol. 2; p. 461-491, ISSN: 0961-0421

97. Scoppetta C, PEPPE A., Sermoni A, Sciortino Gr, Casali C (1993). Familial occurrence of a syndrome resembling subacute combined - 14 - degeneration - a new inherited disorder of cobalamin metabolism. Neurology, vol. 43; p. A217-a217, issn: 0028-3878

98. PEPPE A., Stanzione P, Pierelli F, Stefano E, Rizzo Pa, Tagliati M, Morocutti C (1992). Low contrast stimuli enhance perg sensitivity to the visual dysfunction in parkinsons-disease. ELECTROENCEPHALOGRAPHY AND CLINICAL NEUROPHYSIOLOGY, vol. 82; p. 453-457, ISSN: 0013-4694, doi: 10.1016/0013-4694(92)90051-I

99. Caraceni T, Musicco M, Gasparini M, Beghi E, Scigliano G, Carella F, Cossutta E, Chiaro C, Lovicu G, Giminiani G, Currado I,Solari A, Nicolosi A, Agnoli A, Nappi G, Giuliani G, Angeleri A, Moro G, Franciosi A, Demari M, Lamberti P, Huber R, Coppola G, Trianni G, Onofri M, Curatola L, Paolino E, Casetta I, Scaglioni P, Caffarra P, Marini P, Vanni P, Genitrini S, Sterzi R, Ferrarini M, Bassi P, Contri P, Comi Gc, Comola M, Campanella G, Demichele G, Pacchetti C, Martignoni E, Piccirilli M, Finali G, Massetani R, Galli R, Albanese A, Bentivoglio A, Scoppetta C, PEPPE A., Stanzione P, Semprini R,

MADRELINGUA

[Italiano]

ALTRE LINGUA

• Capacità di lettura	**[INGLESE]**
• Capacità di scrittura	[discreto]
• Capacità di espressione orale	[buono]
	[buono]
	Francese
	Elementare
	Elementare
	Elementare

CAPACITÀ E COMPETENZE RELAZIONALI

Vivere e lavorare con altre persone, in ambiente multiculturale, occupando posti in cui la comunicazione è importante e in situazioni in cui è essenziale lavorare in squadra (ad es. cultura e sport), ecc.

[Discreta capacità organizzativa nel pianificare e concretizzare il progetto, educando le persone del team]

CAPACITÀ E COMPETENZE ORGANIZZATIVE

Ad es. coordinamento e amministrazione di persone, progetti, bilanci; sul posto di lavoro, in attività di volontariato (ad es. cultura e sport), a casa, ecc.

[lavoro di squadra da formazione scout]

CAPACITÀ E COMPETENZE TECNICHE

Con computer, attrezzature specifiche, macchinari, ecc.

[Discreta capacità clinica nella diagnosi e trattamento patologie extrapiramidali, competenza discreta nella neuro fisiopatologia del sistema visivo, discreta competenza nella analisi del cammino]

CAPACITÀ E COMPETENZE ARTISTICHE

Musica, scrittura, disegno ecc.

[Soprano, canto coro]

ALTRE CAPACITÀ E COMPETENZE

Competenze non precedentemente indicate.

PATENTE O PATENTI

Rossi F, Castellano A, Marconi R, Fincati E, Tomelleri G, Nardelli E, Nordera G, Iemolo F, Dasta G, Lorizio A, Salsa F, Freschi R, Meregalli S, Bandinelli S, Gangemi S, Capus L, Piola P, Bino G, Achille P, Pederzoli M, Lenzi Gl (1992). A multicenter italian randomized study on early treatment of parkinson disease - comparison of l-dopa, l-deprenyl and dopaminoagonists - study design and short-term results. ITALIAN JOURNAL OF NEUROLOGICAL SCIENCES, vol. 13; p735-739, ISSN: 0392-0461.

CAPACITÀ E COMPETENZE PERSONALI

Acquisite nel corso della vita e della carriera ma non necessariamente riconosciute da certificati e diplomi ufficiali.

ULTERIORI INFORMAZIONI [Inserire qui ogni altra informazione pertinente, ad esempio persone di riferimento, referenze ecc.]

ALLEGATI [Se del caso, enumerare gli allegati al CV.]